

MIRA OPTIONAL LIST

CABIN

Hallberg-Rassy 54

Normal keel

Standard spec. date

Interior in mahogany

Aft cabin: centre berth, seats sb & pt, dressingtable sb,

Aft berths electrically setting in the head end

32" Mirror glass TV in aft cabin

One lockable drawer in aft cabin

One lockable closet in aft cabin

Extra directors chair

Marine Elegance Electrical Toilet, 24 V.

Main cabin with 2 sofas. Stb.side with rounded corner,

sep.SB cabin with two bunks. WC port. V-cabin in front,

Galley with Plexicor on starboard,

sep.SB cabin with two bunks. WC port. V-cabin in front,

Varnished washboards and outer charttables,

Hella Turbo fan, 24V - 1 V cabin, 2 guest, 3 salon, 2 aft

Safe, Minisafe SV160

Ocean Air skyscreen in saloon,

Ocean Air skyscreen in forward cabin,

Ocean Air skyscreen in aft cabin,

Ocean Air skyscreen in cabin,

Lee cloths, 2pcs. Saloon

Lee cloth / AFT Cabin

Lee cloth / SB Cabin

Two fairlead on toerail by transom for stern mooring

Cockpit cushions,

Cushion for sundeck on coachroof,

Original Alcantara in saloon, add.

Piping for one coloured upholstery, Saloon, colour: 110 Amber Glow

Upholstery: Beige VN2054/11

Upholstery de luxe,

Carpet: Beige

Colour of curtains: Beige with sunblock

Manuals in English

HULL AND DECK

Hardtop with laid teak on roof,

Bimini, stainless frames, closeable window,
Electric davits S300,
Hydr. gangway Besenzoni, stainless steel with teak; 236 cm. Model: 0747353
Hydr fold-out bathing platform,
Two teak pushpit seats,
Drink table on wheel steering,
Glass holder on chart table, for 2 glasses. Gloss varnish
Fixed/folding high gloss cockpit table, fridge and cover,
Tent extention to hardtop,
Stainless strips at mooring and spring cleats,
Life lines in webbing on deck,
Fitting for lifebelt in the cockpit, folding
Preventer, on roller in boom,
Outboard bracket on pushpit,
Cover cockpit table/wheel/compass(plotterfitting on pedestal)
Horn in mast, Aqua Signal
Name/Homeport, price per letter "Mira" i blue stripe aft
Name special - Name/Homeport, price per letter "Mira" i blue stripe aft
Name/Homeport, price per letter "Wilmington" on Stern
SAILS AND RIGS
Mainsail standard
Genoa, CC, GS 480, E-Flex, Furlex
Seldén hydr. Furlinmast and jib. Jammers for main sheet
Hydr outhaul, upgraded vang, hydr vang assumed
Hydr. backstay tensioner&vang with remote panel,
Cutterstay hydraulic, incl. jumper spreader,
Furlin main, EMS MAX, EPEX-cloth
Genoa 140%,96 kvm, EPEX-cloth, E-Flex
Cutterstay jib, Furlex, EPEX-cloth
Spinnaker pole in carbon fibre incl. Lift,
Furling Gennacker, incl. equipment and removable bowsprit
Gennacker in Superkote 150 - blue " EMS rescue kit, size XL
Lighting protection mast – keel
UV-protection, HEAVY DUTY, Genoa, grey
UV-protection, HEAVY DUTY, Cutterstay jib, grey
SALON + GALLEY
Cover over sink in galley, 2 parts, Plexicor,
Galley with Plexicor in walk-through,extra front open.fridge
Micro wave oven with stainless front, 230V

Dishwasher Electrolux, 230V (48-64)
Washing machine Candy, 230V/50Hz,
Icemaker in galley
Soap pumps in both WC and galley
Gas bottles, 2x3 kg, with reduction valve and fittings
Electric gas switch
Gas alarm
RADIO - TV - MUSIC – INSTRUMENTS
Bose stereo sound system/DVD, 230V, loudspeakers in cockpit
Retractable 26 inch TV,
Stereo loudspeakers in cockpit, Sea and Symphony
KVH M5 satellite TV-antenna, mounted above radar radome
KVH M3 satellite TV-antenna, mounted above radar radome
Curtesy light i floor level
SAFETY, NAVIGATION AND INSTRUMENTS
KVH Mini-VSAT V3 on SB lower spreader -
Autopilot Furuno NAVpilot-711 with Whitlockdrive,
Autopilot Furuno NAVpilot-711, with two linear drives
Furuno MFD12,incl.,Vectorchar.,Europe/Africa,ex,mount,ex.antenna In pedestal
Furuno MFD12, 3D, multifunctiondisplay, excl.mounting,ex.ant. Under windscreen
15" LCD display at navigation table, USB mouse, NavNet 3D
Furuno DRS4A 4kW 3D open radar- & GPS- antenna, excl mount.
Furuno FA-150 AIS transponder, incl. GPS & VHF antenna
Digital Sounder BBDS1 module for Furuno NavNet 3D
Furuno RD-33, digital and graphic repeater at navstation
Furuno RD-33, digital and graphic repeater at navstation Installed in aft cabin
Furuno VHF FM-2721, DSC class D, 2 control units
Furuno Weatherfax/Navtex unit Fax-30 for NAVnet/PC,exkl.ant.
Weather fax filter for RR-antenna
Active radarreflector, EchoMax Active-XS
Radarpole without legs, incl radar mounting,
Folding arm on radar pole,
SSB ICOM IC-M802, AT-141 and 2 grounding plates, USA only
AIS-Pacific antenna (DSC/GSM/VHF/TV/SSB/AM/FM-radio)
Life raft, Avon, ISO 9650, typ 1, group A, 6-pers, container
POWER SUPPLY
Whisper 10 Ultra Diesel generator, 230V/50Hz1500rpm, Masterview
Combi Mastervolt 24/4000-120A(230V) Masterview,

Battery Charger 12V/35A-230V, Chargemaster,
Additional Batteries, Tubular Plate, 24V 210Ah,
24 V/110 A Alternator in lieu of std (Volvo),
Isolation transformer Mass GI 7 kVA,
isolation transformer Mass GI 7 kVA,
Maximum amount of solar panels on Hardtop
Insulated backstay with cable to nav.table,
Emergency switch for engine start
ELECTRICAL & NAVIGATION LIGHTS
Network cable / USB-port for Furuno 3D at navigation table
Aft deck light on radar pole
One 230V fluorescent light in engine room
Red night light in hardtop
Red night light over galley and navigation table,
Aqua Signal LED Tricolour toplight with anchor light,
In-spreader lighting pointing up-Set 6 Nos
LED Spots and reding lights
ENGINE & ENGINE ROOM
Chilled water system AC 36.000 BTU
Watermaker MT 5500 with aut.flushsystem, cleaningvalves,230V, Cap:5,5 m3/day
Bow thruster, 15,5 hp,
El. oil change pump, installed, 24V,
Double Racor fuel filters with switch, water alarm,
Fire extinguisher in the engine room, CO2
Smoke alarm in engine room
High water alarm
Goripropeller, three bladed, fixed as a spare,
Rope cutter, stainless steel,
Shaft zink for extended protection of propeller,
ANCHOR
Delta anchor in stainless steel (32 kg,
Stainless steel Duplex chain 100m/13mm,,
Wireless remote control / chain counter (Lewmar)
FUEL & WATER TANKS AND HEAD
Extra water tank HR54.
Diesel : 2 x 450 + 525 = 1.425 lt., Water: 300 + 525 =825 lt.
General service pump, sea- or freshwater, 50 l./min.
Shower at bathing platform
GENERAL

Compressor Oceanus W 230V,1 Phs. 225 Bar, installed with removable hood in aft locker

Boat to be exhibited in Istanbul Boat Show